




**CROSSROAD**<sup>®</sup>  
DISTRIBUTOR SOURCE



**SCREWDRIVER INSERT BITS,  
POWER BITS, NUTSETTERS,  
ADAPTORS AND BIT HOLDERS**

**Buyer's Guide 10/2016**  
NORTH AMERICA

## BORDO SCREWDRIVER INSERT BITS, POWER BITS, NUTSETTERS, ADAPTORS, BIT HOLDERS AND QUICK CHANGE EXTENSIONS

BORDO'S RANGE OF SCREWDRIVER BITS INCLUDES AN EXTENSIVE RANGE OF INSERT BITS, POWERBITS, NUTSETTERS, MAGNETIC BIT HOLDERS, QUICK CHANGE BIT HOLDERS AND QUICK CHANGE EXTENSIONS.








The North American screwdriver bit program is made up of two distinct ranges:

**BORDO IMPACT** – Today's modern impact drivers place a unique set of demands on screwdriver bits. Bordo's Impact bits have been specifically engineered to provide industry leading performance in all impact driver applications.

**BORDO STANDARD** – Bordo's standard range of screwdriver bits includes an extensive range of insert bits, powerbits, nutsetters, magnetic bit holders, quick change bit holders and quick change extensions. Insert bits and powerbits are available in a large range of tip styles and lengths to suit all common applications and most security fasteners. All bit tips are precision formed to guarantee optimum engagement ensuring maximum tool life and minimising damage to screw heads. Each bit is manufactured using high grade alloy material and heat tempered for high durability in all general purpose applications.



Bordo Impact	Insert Bits, Powerbits and Nutsetters	<a href="#">2</a>
Bordo Standard	Insert Bits	<a href="#">4</a>
	Security Insert Bits	<a href="#">6</a>
	Powerbits	<a href="#">7</a>
	Powerbits - Double Ended	<a href="#">8</a>
	Nutsetters	<a href="#">8</a>
	Adaptors, Extensions and Handles	<a href="#">9</a>
Bordo Standard	Insert Bit and Powerbit Sets	<a href="#">10</a>
Bordo Bench Merchandisers		<a href="#">11</a>

-  Phillips® Most common screw drive system that absorbs torque peaks and lowers slippage.
-  Grippa® Ribbing on the Grippa grips in the recess of the screw greatly reducing cam-out.
-  Slotted Oldest and still very popular screw type.
-  Hex Reduces cam-out and less operator pressure is needed.
-  PoziDriv® Self-centering for fast, efficient assembly operations.
-  Square Recess Growing in popularity in fasteners such as batten and decking screws.
-  STAR For fast, efficient installation and removal of fasteners. Cam-out is virtually eliminated due to the vertical sidewalls and reduced recess fallaway, and torque transfer is improved by the large cross-sectional areas of the six lobes.

Phillips® and Posidriv® are registered trademarks of the Phillips Screw Company.  
Grippa® is a registered trademark of Bordo International Pty Ltd.



**BORDO IMPACT BITS**

Bordo's range of Impact Bits are designed and manufactured for optimum performance in modern impact drivers. Not only do they offer significantly increased bit life in impact applications but they also offer exceptional performance in standard driving usage. The impact driver action places high peak torque demands on both insert and power bits. Our range features a uniquely engineered torsion zone with multi-stage hardening and tempering to dissipate damaging peak loads.

Many manufacturers spruqe the benefits of their "high torque", "torsion" and "impact" bits. The vast majority do not live up to the hype. Bordo's range of impact bits significantly outperform those of our competitors.

Tip styles to suit common applications

Uniquely engineered torsion zone

Retaining ring notches


1/4" hex




Uniquely engineered torsion zone with multi-stage hardening and tempering to dissipate damaging peak loads



**PH2 x 25MM CYCLES BEFORE FAILURE** average impact 10.3 Nm at 100% loading



**PH2 x 50MM CYCLES BEFORE FAILURE** average impact 10.3 Nm at 100% loading



GROUP	SCIM
-------	------

TYPE - IMPACT	SIZE	OAL MM	PACK QTY	PACK TYPE	PART NUMBER
PHILLIPS®	#2	25	10	SLEEVE	5305-PH2X25
PHILLIPS®	#2	50	10	SLEEVE	5405-PH2X50
PHILLIPS®	#2	100	10	SLEEVE	5405-PH2X100
PHILLIPS®	#2	150	10	SLEEVE	5405-PH2X150
POZIDRIV®	#2	25	10	SLEEVE	5305-PZ2X25
POZIDRIV®	#2	50	10	SLEEVE	5405-PZ2X50
HEX	5MM	25	10	SLEEVE	5305-HX5X25
HEX	5MM	50	10	SLEEVE	5405-HX5X50
SQUARE RECESS	#1	25	10	SLEEVE	5305-SR1X25
SQUARE RECESS	#1	50	10	SLEEVE	5405-SR1X50
SQUARE RECESS	#1	75	10	SLEEVE	5404-SR1X75
SQUARE RECESS	#1	100	10	SLEEVE	5405-SR1X100
SQUARE RECESS	#1	150	10	SLEEVE	5405-SR1X150
SQUARE RECESS	#2	25	10	SLEEVE	5305-SR2X25
SQUARE RECESS	#2	50	10	SLEEVE	5405-SR2X50
SQUARE RECESS	#2	75	10	SLEEVE	5405-SR2X75
SQUARE RECESS	#2	100	10	SLEEVE	5405-SR2X100
SQUARE RECESS	#2	150	10	SLEEVE	5405-SR2X150
SQUARE RECESS	#3	25	10	SLEEVE	5405-SR3X25
SQUARE RECESS	#3	50	10	SLEEVE	5405-SR3X50
SQUARE RECESS	#3	75	10	SLEEVE	5405-SR3X75
SQUARE RECESS	#3	100	10	SLEEVE	5405-SR3X100
SQUARE RECESS	#3	150	10	SLEEVE	5405-SR3X150
NUTSETTER	1/4"	65	5	SLEEVE	5605-NS1/4X65
NUTSETTER	1/4"	150	5	SLEEVE	5605-NS1/4X150
NUTSETTER	3/8"	65	5	SLEEVE	5605-NS3/8X65
NUTSETTER	3/8"	150	5	SLEEVE	5605-NS3/8X150
NUTSETTER	5/16"	65	5	SLEEVE	5605-NS5/16X65
NUTSETTER	5/16"	150	5	SLEEVE	5605-NS5/16X150

\*Note: Impact Screwdriver Bits are Magnetic

GROUP	SCIM
-------	------

TYPE - IMPACT	SIZE	OAL MM	BITS PER PACK	PACK TYPE	ORDER QTY	PART NUMBER
PHILLIPS®	#2	25	25	BOX	5 PACKS	5305-PH2X25TP
PHILLIPS®	#2	50	25	BOX	5 PACKS	5405-PH2X50TP
NUTSETTER	5/16"	65	5	BOX	5 PACKS	5605-NS5/16X65TP



BONUS  
5350-MH1/4x50  
bit holder in every  
insert bit trade pack

**BORDO STANDARD SERIES SCREWDRIVER BITS, NUTSETTERS, BIT HOLDERS AND QUICK CHANGE EXTENSIONS**

Bordo's standard range of screwdriver bits includes an extensive range of insert bits, powerbits, nutsetters, magnetic bit holders, quick change bit holders and quick change extensions. Insert bits and powerbits are available in a large range of tip styles and lengths to suit all common applications and most security fasteners. All bits are packaged in individual sleeves, in strips of 5 or 10 pieces, which are marked with the part number and barcode. All bit tips are precision formed to ensure optimum engagement ensuring maximum tool life and minimising damage to screw heads. Each bit is manufactured using high grade alloy material and heat tempered for high durability in all general purpose applications. Bordo's standard range provides professional quality bits that are suitable for use in all common fastening applications.

Today's modern impact drivers place a unique set of demands on screwdriver bits. Bordo's Impact bits have been specifically engineered to provide industry leading performance in impact applications.

Tip styles to suit all common applications

Tough alloy material with high Rockwell hardness

Retaining ring notches

1/4" hex



GROUP	SCRW				
-------	------	--	--	--	--

TYPE - STANDARD	SIZE	OAL MM	PACK QTY	PACK TYPE	PART NUMBER	
+	PHILLIPS®	#0	25	10	SLEEVE	5300-PH0X25
	PHILLIPS®	#1	25	10	SLEEVE	5300-PH1X25
	PHILLIPS®	#2	25	10	SLEEVE	5300-PH2X25
	PHILLIPS®	#3	25	10	SLEEVE	5300-PH3X25
	PHILLIPS® 5/16" HEX	#4	30	10	SLEEVE	5300-PH4X30
⊕	GRIPPA®	1	25	10	SLEEVE	5300-PH1GX25
	GRIPPA®	2	25	10	SLEEVE	5300-PH2GX25
	GRIPPA®	3	25	10	SLEEVE	5300-PH3GX25
+	POZIDRIV®	#1	25	10	SLEEVE	5300-PZ1X25
	POZIDRIV®	#2	25	10	SLEEVE	5300-PZ2X25
	POZIDRIV®	#3	25	10	SLEEVE	5300-PZ3X25
○	HEX	2MM	25	10	SLEEVE	5300-HX2X25
	HEX	3MM	25	10	SLEEVE	5300-HX3X25
	HEX	4MM	25	10	SLEEVE	5300-HX4X25
	HEX	5MM	25	10	SLEEVE	5300-HX5X25
◻	SQUARE RECESS	#0	25	10	SLEEVE	5300-SR0X25
	SQUARE RECESS	#1	25	10	SLEEVE	5300-SR1X25
	SQUARE RECESS	#2	25	10	SLEEVE	5300-SR2X25
	SQUARE RECESS	#3	25	10	SLEEVE	5300-SR3X25
-	SLOTTED	#4	25	10	SLEEVE	5300-SL4X25
	SLOTTED	#5	25	10	SLEEVE	5300-SL5X25
	SLOTTED	#6	25	10	SLEEVE	5300-SL6X25
⊗	STAR	T10	25	10	SLEEVE	5300-TX10X25
	STAR	T15	25	10	SLEEVE	5300-TX15X25
	STAR	T20	25	10	SLEEVE	5300-TX20X25
	STAR	T25	25	10	SLEEVE	5300-TX25X25
	STAR	T27	25	10	SLEEVE	5300-TX27X25
	STAR	T30	25	10	SLEEVE	5300-TX30X25
	STAR	T40	25	10	SLEEVE	5300-TX40X25
STAR 5/16" HEX	T45	30	10	SLEEVE	5300-TX45X25	
+	PHILLIPS® DRY-WALL PLASTERBOARD	#2	25	10	SLEEVE	5300-PH2DWX25
	PHILLIPS® REDUCED NOSE	#2	25	10	SLEEVE	5300-PH2RNX25
Ⓢ	EYE LAG DRIVER	1/4	62	1	POUCH	5300-LAG1/4X62

PHILLIPS #2 DRYWALL / PLASTERBOARD BITS

Phillips® Drywall/Plasterboard bits convert any standard cordless (or corded) drill into a screwgun. These bits drive the screw to an ideal preset depth and evenly draw in the plasterboard paper without tearing.

PHILLIPS #2 REDUCED NOSE

Phillips® Reduced Nose insert bits are designed for use in screws with poorly formed or damaged screw heads.



Bordo's range of IMPACT powerbits are engineered for optimum performance in impact drivers - see page 002



GROUP SCRW

TYPE	SIZE	OAL MM	PACK QTY	PACK TYPE	PART NUMBER
STAR TR	T10	25	10	SLEEVE	5300-TX10TRX25
STAR TR	T15	25	10	SLEEVE	5300-TX15TRX25
STAR TR	T20	25	10	SLEEVE	5300-TX20TRX25
STAR TR	T25	25	10	SLEEVE	5300-TX25TRX25
STAR TR	T27	25	10	SLEEVE	5300-TX27TRX25
STAR TR	T30	25	10	SLEEVE	5300-TX30TRX25
STAR TR	T40	25	10	SLEEVE	5300-TX40TRX25
STAR TR 5/16" HEX	T45	30	10	SLEEVE	5300-TX45TRX25
STAR TR 5/16" HEX	T50	30	10	SLEEVE	5300-TX50TRX25
TRI-WING®	#0	25	10	SLEEVE	5300-TW0X25
TRI-WING®	#1	25	10	SLEEVE	5300-TW1X25
TRI-WING®	#2	25	10	SLEEVE	5300-TW2X25
TRI-WING®	#3	25	10	SLEEVE	5300-TW3X25
TRI-WING®	#4	25	10	SLEEVE	5300-TW4X25
TRI-WING®	#5	25	10	SLEEVE	5300-TW5X25
IN-HEX	3/32"	25	10	SLEEVE	5300-IH3/32X25
IN-HEX	1/8"	25	10	SLEEVE	5300-IH1/8X25
IN-HEX	5/32"	25	10	SLEEVE	5300-IH5/32X25
IN-HEX	3/16"	25	10	SLEEVE	5300-IH3/16X25
IN-HEX	7/32"	25	10	SLEEVE	5300-IH7/32X25
IN-HEX	3MM	25	10	SLEEVE	5300-IH3X25
IN-HEX	4MM	25	10	SLEEVE	5300-IH4X25
IN-HEX	5MM	25	10	SLEEVE	5300-IH5X25
IN-HEX	6MM	25	10	SLEEVE	5300-IH6X25
PIN DRIVE	#4	25	10	SLEEVE	5300-PD4X25
PIN DRIVE	#6	25	10	SLEEVE	5300-PD6X25
PIN DRIVE	#8	25	10	SLEEVE	5300-PD8X25
PIN DRIVE	#10	25	10	SLEEVE	5300-PD10X25
TRI-LOBULAR	-	25	10	SLEEVE	5300-TLX25



For insert bit sets and power bit sets see page 010



GROUP SCRW

TYPE	SIZE	OAL MM	PACK QTY	PACK TYPE	PART NUMBER
PHILLIPS®	#1	50	10	SLEEVE	5400-PH1X50
PHILLIPS®	#2	50	10	SLEEVE	5400-PH2X50
PHILLIPS®	#2	75	10	SLEEVE	5400-PH2X75
PHILLIPS®	#2	100	10	SLEEVE	5400-PH2X100
PHILLIPS®	#2	150	10	SLEEVE	5400-PH2X150
PHILLIPS®	#3	50	10	SLEEVE	5400-PH3X50
GRIPPA®	2	50	10	SLEEVE	5400-PH2GX50
GRIPPA®	2	75	10	SLEEVE	5400-PH2GX75
GRIPPA®	2	100	10	SLEEVE	5400-PH2GX100
GRIPPA®	2	150	10	SLEEVE	5400-PH2GX150
POZIDRIV®	#1	50	10	SLEEVE	5400-PZ1X50
POZIDRIV®	#2	50	10	SLEEVE	5400-PZ2X50
POZIDRIV®	#2	150	10	SLEEVE	5400-PZ2X150
POZIDRIV®	#3	50	10	SLEEVE	5400-PZ3X50
HEX	5MM	50	10	SLEEVE	5400-HX5X50
HEX	6MM	50	10	SLEEVE	5400-HX6X50
HEX	8MM	50	10	SLEEVE	5400-HX8X50
HEX	10MM	50	10	SLEEVE	5400-HX10X50
HEX	12MM	50	10	SLEEVE	5400-HX12X50
SQUARE RECESS	#0	50	10	SLEEVE	5400-SR0X50
SQUARE RECESS	#1	50	10	SLEEVE	5400-SR1X50
SQUARE RECESS	#1	75	10	SLEEVE	5400-SR1X75
SQUARE RECESS	#1	100	10	SLEEVE	5400-SR1X100
SQUARE RECESS	#1	150	10	SLEEVE	5400-SR1X150
SQUARE RECESS	#2	50	10	SLEEVE	5400-SR2X50
SQUARE RECESS	#2	75	10	SLEEVE	5400-SR2X75
SQUARE RECESS	#2	100	10	SLEEVE	5400-SR2X100
SQUARE RECESS	#2	150	10	SLEEVE	5400-SR2X150
SQUARE RECESS	#3	50	10	SLEEVE	5400-SR3X50
SQUARE RECESS	#3	75	10	SLEEVE	5400-SR3X75
SQUARE RECESS	#3	100	10	SLEEVE	5400-SR3X100
SQUARE RECESS	#3	150	10	SLEEVE	5400-SR3X150
SLOTTED	#3	50	10	SLEEVE	5400-SL3X50
SLOTTED	#4	50	10	SLEEVE	5400-SL4X50
SLOTTED	#5	50	10	SLEEVE	5400-SL5X50
SLOTTED	#6	50	10	SLEEVE	5400-SL6X50
SLOTTED	#8	50	10	SLEEVE	5400-SL8X50



Bordo's range of IMPACT powerbits are engineered for optimum performance in impact drivers - see page 002



GROUP						SCRW
TYPE	SIZE	OAL MM	PACK QTY	PACK TYPE	PART NUMBER	
PHILLIPS®	#2	45	10	SLEEVE	5500-PH2DX45	
PHILLIPS®	#2	65	10	SLEEVE	5500-PH2DX65	
PHILLIPS®	#2	100	10	SLEEVE	5500-PH2DX100	
PHILLIPS®	#2	150	10	SLEEVE	5500-PH2DX150	
PHILLIPS®	#2	200	10	SLEEVE	5500-PH2DX200	
POZIDRIV®	#2	45	10	SLEEVE	5500-PZ2DX45	
POZIDRIV®	#2	65	10	SLEEVE	5500-PZ2DX65	
SQUARE RECESS	#2	45	10	SLEEVE	5500-SR2DX45	
PHILLIPS® SLOTTED	#2/5MM	45	10	SLEEVE	5500-PH2SL5X45	



GROUP						SCRW
TYPE	SIZE	OAL MM	PACK QTY	PACK TYPE	PART NUMBER	
ADAPTORS						
1/4" HEX - 3/8" SQUARE	M-M	50	5	SLEEVE	5610-SD3/8X50	
1/4" HEX - 3/8" SQUARE	M-M	75	5	SLEEVE	5610-SD3/8X75	
1/4" HEX - 1/2" SQUARE	M-M	50	5	SLEEVE	5610-SD1/2X50	
1/4" HEX - 1/2" SQUARE	M-M	75	5	SLEEVE	5610-SD1/2X75	
1/4" HEX - 1/4" SQUARE	M-M	51	5	SLEEVE	5610-SD1/4X51	
1/4" HEX - 1/4" SQUARE	M-M	100	5	SLEEVE	5610-SD1/4X100	
1/4" HEX - 1/4" SQUARE	M-M	150	5	SLEEVE	5610-SD1/4X150	
1/4" HEX - 1/4" SQUARE	F-F	50	5	SLEEVE	5620-FSD1/4X50	
1/4" HEX - 3/8" SQUARE	F-F	50	5	SLEEVE	5620-FSD3/8X50	



GROUP						SCRW
TYPE	SIZE	OAL MM	PACK QTY	PACK TYPE	PART NUMBER	
NUTSETTER	1/4"	42	10	SLEEVE	5600-NS1/4X42	
NUTSETTER	1/4"	65	10	SLEEVE	5600-NS1/4X65	
NUTSETTER	1/4"	100	10	SLEEVE	5600-NS1/4X100	
NUTSETTER	1/4"	150	10	SLEEVE	5600-NS1/4X150	
NUTSETTER	3/16"	42	10	SLEEVE	5600-NS3/16X42	
NUTSETTER	5/16"	42	10	SLEEVE	5600-NS5/16X42	
NUTSETTER	5/16"	65	10	SLEEVE	5600-NS5/16X65	
NUTSETTER	5/16"	100	10	SLEEVE	5600-NS5/16X100	
NUTSETTER	5/16"	150	10	SLEEVE	5600-NS5/16X150	
NUTSETTER	5/16"	200	10	SLEEVE	5600-NS5/16X200	
NUTSETTER	5/16"	300	10	SLEEVE	5600-NS5/16X300	



GROUP						PHEX
TYPE	SIZE	OAL MM	PACK QTY	PACK TYPE	PART NUMBER	
QUICK CHANGE						
QUICK CHANGE HOLDER	1/4"	65	1	SLEEVE	5750-14X65	
QUICK CHANGE EXTENSION	1/4"	150	1	SLEEVE	5750-14X150	
QUICK CHANGE EXTENSION	1/4"	300	1	SLEEVE	5750-14X300	
MAG + BIT HOLDER	1/4"	60	1	BOX	5360-MP1/4X	
MP-QR + BIT HOLDER	1/4"	70	1	BOX	5360-MPQR1/4X70	
90° ANGLE DRIVER	1/4"	-	-	BLISTER	5360-AD	
HANDLE						
QUICK CHANGE HANDLE	1/4"	-	10	DISPLAY	5750-14DH	



Standard Nutsetters feature a small internal chamfer to facilitate quick screw engagement. The chamfer also reduces marking of the head-shoulder junction when using painted hex head screws.

Flat Nutsetters provide maximum screw engagement and minimise cam-out when using hex screws with small head heights.

All Bordo Nutsetters are manufactured from premium heat treated alloy steel and feature powerful magnets. The universal 1/4" hex shank is suitable for use in most power tools and quick change adaptors/extensions.

Quick Change Handle Bordo's quick change screwdriver bit handle is machined from a solid aluminium billet with fine knurling for the ultimate non-slip grip. Each handle features two click-in quick change sockets to suit all standard 1/4" hex shank accessories. Ideal for use with with any of Bordo's extensive range of premium quality powerbits.




GROUP	SCRW
SHANK	1/4" HEX
BODY	POWER GROOVE



SET	PIECES TOTAL	PART NUMBER	PIECES TOTAL	PART NUMBER
INSERT BIT SET	31	5300-S1	-	-
POWER BIT SET	-	-	34	5400-S1
POWER BIT SET W/ HANDLE	-	-	11	5400-S2

SET CONTENTS	STYLE	OAL MM	QTY	PART NUMBER	STYLE	OAL MM	QTY	PART NUMBER
	PHILLIPS #1	25	1	5300-PH1X25	<b>5400-51</b>			
	PHILLIPS #2	25	2	5300-PH2X25	PHILLIPS #1	50	2	5400-PH1X50
	PH GRIPPA #2	25	1	5300-PH2GX25	PHILLIPS #2	50	3	5400-PH2X50
	PHILLIPS #3	25	1	5300-PH3X25	PH GRIPPA #2	50	3	5400-PH2GX50
	SLOT 4MM	25	1	5300-SL4X25	PHILLIPS #3	50	2	5400-PH3X50
	SLOT 5MM	25	1	5300-SL5X25	POZIDRIV #1	50	2	5400-PZ1X50
	SLOT 6MM	25	1	5300-SL6X25	POZIDRIV #2	50	2	5400-PZ2X50
	HEX 5MM	25	1	5300-HX5X25	POZIDRIV #3	50	2	5400-PZ3X50
	TRI LOBULAR	25	1	5300-TLX25	SLOT 3MM	50	2	5400-SL4X50
	POZIDRIV #1	25	1	5300-PZ1X25	SLOT 4MM	50	2	5400-SL4X50
	POZIDRIV #2	25	1	5300-PZ2X25	SLOT 5MM	50	2	5400-SL5X50
	POZIDRIV #3	25	1	5300-PZ3X25	SLOT 6MM	50	2	5400-SL6X50
	STAR T10	25	1	5300-TX10X25	SLOT 8MM	50	2	5400-SL8X50
	STAR T15	25	1	5300-TX15X25	HEX 5MM	50	2	5400-HX5X50
	STAR T20	25	1	5300-TX20X25	SQ RECESS #1	50	2	5400-SR1X50
	STAR T25	25	1	5300-TX25X25	SQ RECESS #2	50	2	5400-SR2X50
	STAR T27	25	1	5300-TX27X25	NUTSETTER 5/16"	42	1	5600-NS5/16X42
	STAR T30	25	1	5300-TX30X25	QC ADAPTOR	65	1	5750-14X65
	STAR T40	25	1	5300-TX40X25	<b>5400-2</b>			
	SQ RECESS #1	25	1	5300-SR1X25	PHILLIPS #1	100	1	5400-PH1X100
	SQ RECESS #2	25	1	5300-SR2X25	PHILLIPS #2	75	1	5400-PH2X75
	SQ RECESS #3	25	1	5300-SR3X25	PHILLIPS #2	100	1	5400-PH2X100
	STAR T10 TR	25	1	5300-TX10TRX25	PHILLIPS #2	150	1	5400-PH2X150
	STAR T15 TR	25	1	5300-TX15TRX25	PHILLIPS #3	100	1	5400-PH3X100
	STAR T20 TR	25	1	5300-TX20TRX25	HEX 5MM	100	1	5400-HX5X100
	STAR T25 TR	25	1	5300-TX25TRX25	POZIDRIV #2	100	1	5400-PZ2X100
	STAR T27 TR	25	1	5300-TX27TRX25	SQ RECESS #2	100	1	5400-SR2X100
	STAR T30 TR	25	1	5300-TX30TRX25	SLOT 4MM	100	1	5400-SL4X100
	STAR T40 TR	25	1	5300-TX40TRX25	SLOT 6MM	100	1	5400-SL6X100
	QC ADAPTOR	65	1	5750-14X65	QC HANDLE	115	1	5750-14DH



GROUP	SCRW
SHANK	1/4" HEX
BODY	POWER GROOVE



MERCHANDISER TYPE	PIECES TOTAL	PART NUMBER
IMPACT SCREWDRIVER MERCHANDISER	334	5305-D2

MERCHANDISER CONTENTS	STYLE	OAL MM	QTY	PART NUMBER
<b>INSERT BITS</b>				
	POZIDRIV #2	25	30	5305-PZ2X25
	PHILLIPS #2	25	30	5305-PH2X25
	HEX 5MM	25	20	5305-HX5X25
	SQR RECESS #2	25	20	5305-SR2X25
<b>POWER BITS</b>				
	PHILLIPS #2	50	30	5405-PH2X50
	PHILLIPS #2	100	30	5405-PH2X100
	PHILLIPS #2	150	30	5405-PH2X150
	POZIDRIV #2	50	30	5405-PZ2X50
	HEX 5MM	50	20	5405-HX5X50
	SQ RECESS#2	50	20	5405-SR2X50
	SQ RECESS#2	100	10	5405-SR2X100
<b>NUTSETTERS</b>				
	NUTSETTER 1/4"	65	10	5605-NS1/4X65
	NUTSETTER 3/8"	65	10	5605-NS3/8X65
	NUTSETTER 5/16"	65	10	5605-NS5/16X65
	NUTSETTER 5/16"	150	10	5605-NS5/16X150
<b>BIT HOLDERS</b>				
	MAGNETIC HOLDER	75	20	5350-MH1/4X75
	MAGPLUS BIT HOLDER	60	2	5360-MP1/4X60
	MPQR PLUS BIT HOLDER	70	2	5360-MPQR1/4X70




GROUP	SCRW
SHANK	1/4" HEX
BODY	POWER GROOVE



5300-D2  
5300-D2G

MERCHANDISER TYPE	PIECES TOTAL	PART NUMBER	PIECES TOTAL	PART NUMBER
BENCH MERCHANDISER - SMALL	330	5300-D2	-	-
BENCH MERCHANDISER GRIPPA - SMALL			330	5300-D2G

MERCHANDISER CONTENTS	STYLE	OAL MM	QTY	PART NUMBER	STYLE	OAL MM	QTY	PART NUMBER
	INSERT BITS				INSERT BITS			
	PHILLIPS #2	25	30	5300-PH2X25	PHILLIPS #2	25	30	5300-PH2GX25
	POZIDRIV #2	25	20	5300-PZ2X25	POZIDRIV #2	25	20	5300-PZ2X25
	HEX 5MM	25	20	5300-HX5X25	HEX 5MM	25	20	5300-HX5X25
	POWER BITS				POWER BITS			
	PHILLIPS #1	50	10	5400-PH1X50	PHILLIPS #1	50	10	5400-PH2GX50
	PHILLIPS #2	50	30	5400-PH2X50	PHILLIPS #2	50	30	5400-PH2GX75
	PHILLIPS #2	75	30	5400-PH2X75	PHILLIPS #2	75	30	5400-PH2GX100
	PHILLIPS #2	100	20	5400-PH2X100	PHILLIPS #2	100	20	5400-PH2GX150
	PHILLIPS #2	150	20	5400-PH2X150	PHILLIPS #2	150	20	5400-PH1X50
	SQ RECESS #2	50	10	5400-SR2X50	SQ RECESS #2	50	10	5400-SR2X50
	POZIDRIV #2	50	10	5400-PZ2X50	POZIDRIV #2	50	10	5400-PZ2X50
	HEX 5MM	50	10	5400-HX5X50	HEX 5MM	50	10	5400-HX5X50
	DOUBLE ENDED				DOUBLE ENDED			
	PHILLIPS #2	65	30	5500-PH2DX65	PHILLIPS #2	65	30	5500-PH2DX65
	PHILLIPS #2	100	10	5500-PH2DX100	PHILLIPS #2	100	10	5500-PH2DX100
	NUTSETTERS				NUTSETTERS			
	NUTSETTER 1/4"	42	10	5600-NS1/4X42	NUTSETTER 1/4"	42	10	5600-NS1/4X42
	NUTSETTER 3/8"	42	10	5600-NS3/8X42	NUTSETTER 3/8"	42	10	5600-NS3/8X42
	NUTSETTER 3/8"	65	10	5600-NS3/8X65	NUTSETTER 3/8"	65	10	5600-NS3/8X65
	NUTSETTER 5/16"	42	10	5600-NS5/16X42	NUTSETTER 5/16"	42	10	5600-NS5/16X42
	NUTSETTER 5/16"	65	10	5600-NS5/16X65	NUTSETTER 5/16"	65	10	5600-NS5/16X65
	NUTSETTER 5/16"	150	10	5600-NS5/16X150	NUTSETTER 5/16"	150	10	5600-NS5/16X150
	BIT HOLDERS				BIT HOLDERS			
	MAGNETIC HOLDER	75	20	5350-MH1/4X75	MAGNETIC HOLDER	75	20	5350-MH1/4X75



GROUP	HSTD
SURFACE FINISH	BRIGHT
MATERIAL	HSS
FLUTE TYPE	SPIRAL
SHANK	1/4" HEX
PACKAGING	CLAM SHELL

DIA MM / INCH	PITCH / TPI MM	OAL MM	PACK QTY	PART NUMBER
<b>MC</b>				
3.00	0.50	36	1	3010-3.00
4.00	0.70	39	1	3010-4.00
5.00	0.80	41	1	3010-5.00
6.00	1.00	44	1	3010-6.00
8.00	1.25	51	1	3010-8.00
10.00	1.50	58	1	3010-10.00
<b>UNC</b>				
6G	32	39	1	3011-6G
8G	32	39	1	3011-8G
10G	24	41	1	3011-10G
12G	24	44	1	3011-12G
1/4	20	44	1	3011-1/4
5/16	18	50	1	3011-5/16
3/8	16	59	1	3011-3/8
<b>UNF</b>				
10G	32	41	1	3012-10G
12G	28	44	1	3012-12G
1/4	28	44	1	3012-1/4
5/16	24	50	1	3012-5/16
3/8	24	59	1	3012-3/8

SET TYPE	PART NUMBER
HSS DRILL TAP SET-METRIC COARSE	3010-S1
M3X0.50, M4X0.70, M5X0.80, M6X1.00, M8X1.25, M10X1.50 + 1/4" QUICK CHANGE BIT HOLDER	
HSS DRILL TAP SET-UNC	3011-51
8-32, 10-24, 12-24, 1/4-20, 5/10-18, 3/8-16 +1/4" QUICK CHANGE BIT HOLDER	

**NOTE: DO NOT USE DRILL TAP BITS WITH A MAGNETIC ADAPTOR**

COMBINATION DRILL TAPS

- FEATURES**
- Save time! Drill, tap and deburr in one operation.
  - One-piece drill/tap guarantees correct drill for tap size.
  - Tapered design prevents thread damage from over drilling.
  - Made of high speed steel for long life.
  - After completion tap, reverse the drill to back out.
  - Use of cutting oil recommended.
  - Clean tap of metal chips to extend life.
  - Capacity: 10 gauge (3.5mm)





PRICES & TERMS SUBJECT TO CHANGE WITHOUT NOTICE

NOTICE: The material presented here is for guidance only. The user assumes full responsibility for determining the suitability of our products for a particular application. Requests for more information are welcome.

DISCLAIMER: SELLER MAKES NO WARRANTY WHATSOEVER, EXPRESSED OR IMPLIED AND ALL IMPLIED WARRANTIES OF MERCHANTABILITY FOR A PARTICULAR PURPOSE ARE DISCLAIMED AND EXCLUDED FROM ALL TRANSACTIONS AND SHALL NOT APPLY TO GOODS SOLD.

REMEDY: Our obligation is limited to the repair or replacement for defective parts or, at our option, the refund of the purchase price. IN NO EVENT SHALL THE SELLER BE LIABLE FOR ANY INCIDENTAL, SPECIAL OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES IN THE NATURE OF PENALTIES.



15340 Herriman Blvd Noblesville, IN 46060

Telephone +1 317 723 5050 Facsimile +1 317 723 5052 Email [sales@crossroad.bz](mailto:sales@crossroad.bz)

[CrossroadDistributorSource.com](http://CrossroadDistributorSource.com)